

_
- 2

L Number	Hits	Search Text	DB	Time stamp
-	3	entry near2 address\$2 same correlat\$4 near2 data	USPAT;	2004/04/13 17:21
	_	,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	91	entry near2 address\$2 same correlat\$4	USPAT;	2004/04/01 13:21
[]	, ,	only hour address to sum of some safe to	US-PGPUB;	200 110 110 1 10.21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	254	entry near2 address\$2 same protect\$4	USPAT;	2004/04/01 13:31
-	204	entry hearz addresswz same protectwa	US-PGPUB;	2004/04/01 10:01
-			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	346	((entry near2 address\$2) or (entry near2 point\$4)) same	USPAT;	2004/04/01 13:33
-	340	correlat\$4	US-PGPUB:	2004/04/01 13.33
		Correlato4	1	:
			EPO; JPO;	
			DERWENT;	
		(4 4 0 11 00) (4 4 0 1104)	IBM_TDB	0004/04/04 44/50
-	58	((entry near2 address\$2) or (entry near2 point\$4)) near3	USPAT;	2004/04/01 14:56
		correlat\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	160	entry near2 address\$2 same (before and after) same stor\$4	USPAT;	2004/04/13 17:34
			US-PGPUB;	
			EPO; JPO;	
	ı		DERWENT;	
			IBM_TDB	
-	57	"entry address" same (before and after) same stor\$4	USPAT;	2004/04/13 17:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"entry address" same protected adj list	USPAT;	2004/04/13 17:48
	į		US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
i			IBM_TDB	
-	115	"entry address" same jump	USPAT;	2004/04/13 17:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	4	(protect\$4 or guard\$4) near2 entry adj address\$2	USPAT;	2004/04/14 09:45
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	100	access\$4 near2 entry adj address\$2	USPAT;	2004/04/14 09:49
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	entry near2 address\$2 same legal	USPAT;	2004/04/14 11:25
			US-PGPUB	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
	l	<u> </u>	, . <u></u>	I

	63	entry near2 (address or point) same legal	USPAT;	2004/04/14 11:30
	"	chary hour = (auditors or point) authorized	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	173	debug and entry adj address	USPAT;	2004/04/14 14:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	break\$point same entry adj address	USPAT;	2004/04/14 14:19
			US-PGPUB;	
	i		EPO; JPO;	
			DERWENT:	
			IBM TDB	
-	10	debug same entry adj address	USPAT;	2004/04/14 14:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	117	debug same entry adj (address or point)	USPAT;	2004/04/14 14:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	48	debug same entry adj (address or point) same break\$point	USPAT;	2004/04/14 14:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	non\$reserved adj memory	USPAT;	2004/04/14 14:44
	<u> </u>		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	entry adj address same no\$op	USPAT;	2004/04/14 16:43
			US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
	<u>_</u>		IBM_TDB	